"A" (anthropometric) and "B" (biochemical/blood work) Codes

Code #	Code Name	Description/Cut-off	AIM/M*	In Other Words/Notes
103.1	WT FOR LENGTH LESS THAN OR EQUAL TO 2 ND %	Wt/Length is at or below the 2 nd percentile on WHO growth grid	AIM	System generated in HANDS
103.2	WT FOR LENGTH GREATER THAN 2 ND % AND LESS THAN 5 th %	Wt/Length is above the 2 nd percentile, but at or below the 5 th percentile on WHO growth grid	AIM	System generated in HANDS
114	FAMILY HISTORY OF BMI GREATER THAN OR EQUAL TO 30	Biological mother or father with a BMI greater than or equal to 30	AIM*/M	Manually assigned in HANDS
115	WT FOR LENGTH GREATER THAN OR EQUAL TO 98 th %	Wt/Length is at or above the 98 th percentile on WHO growth grid	AIM	System generated in HANDS
134	Failure to Thrive	<u>Diagnosed</u> by a physician with Failure to Thrive	M	Manually assigned in AIM & HANDS
141	Low Birth Weight	Birth weight less than or equal to 5 pounds 8 ounces (Under 2)	AIM	System generated in HANDS
142	Prematurity	Born at or less than 37 weeks gestation	AIM	System generated in HANDS
151	Small for Gestational Age (SGA)	<u>Diagnosed</u> by a physician (under 2)	М	Manually assigned in AIM & HANDS
153	Large for Gestational Age (LGA)	Birth weight greater than or equal to 9 pounds	AIM	System generated in HANDS
201	Low Hemoglobin	Hemoglobin below the cut-off level (See Tables)	AIM	System generated in HANDS
211	Elevated Blood Lead Level	<u>Diagnosed</u> by a physician with high blood lead level	М	Manually assigned in AIM & HANDS

"C" (clinical, medical and health) Codes

Code #	Code Name	Description/Cut-off All must be <u>Diagnosed</u>	In Other Words
341	Nutrient Deficiency Diseases	Diseases caused by insufficient intake of nutrients	Manually assigned in AIM & HANDS
342	Gastro-intestinal Disorders	Gastro-Esophageal Reflux Disease (GERD), Peptic Ulcer, Short Bowel, Inflammatory Disease, etc	Manually assigned in AIM & HANDS
343	Diabetes Mellitus	Type I or type 2	Manually assigned in AIM & HANDS
344	Thyroid Disorders	Hyper or hypothyroidism	Manually assigned in AIM & HANDS
345	Hypertension and prehypertension	High blood pressure	Manually assigned in AIM & HANDS
346	Kidney (renal) Disease	Any kidney disease	Manually assigned in AIM & HANDS
347	Cancer	Any cancer	Manually assigned in AIM & HANDS
348	Central Nervous System Disorders	Epilepsy, Cerebral Palsy, neural tube defects, Parkinson's or Multiple Sclerosis	Manually assigned in AIM & HANDS
349	Genetic and Congenital Disorders	Cleft palate, down's syndrome, muscular dystrophy	Manually assigned in AIM & HANDS
351	Inborn Errors of Metabolism	PKU, Maple syrup Urine Disease or other metabolic disorders	Manually assigned in AIM & HANDS
352	Infectious Diseases	Tuberculosis, Pneumonia, meningitis, hepatitis, bronchitis (3 episodes in 6 mos), HIV/AIDS	Manually assigned in AIM & HANDS
353	Food Allergies	Immune response to food allergen	Manually assigned in AIM & HANDS
354	Celiac Disease	Celiac Sprue, Gluten Enteropathy	Manually assigned in AIM & HANDS
355	Lactose Intolerance	Inability to digest lactose	Manually assigned in AIM & HANDS
356	Hypoglycemia	Low Blood Sugar	Manually assigned in AIM & HANDS
359	Recent Major Surgery, Trauma, Burns	Any major surgery, trauma or burns within past 2 mos or more than 2 mos if diagnosed need	Manually assigned in AIM & HANDS
360	Other Medical Conditions	Asthma (Severe or moderate), cystic fibrosis, heart disease, Juvenile Rheumatoid Arthritis	Manually assigned in AIM & HANDS
362	Developmental Delays, etc	Brain injury/impaired function, autism, etc	Manually assigned in AIM & HANDS
381	Dental Problems	Baby bottle tooth decay, cavities that impair eating	Manually assigned in AIM & HANDS
382	Fetal Alcohol	Also called FAS	Manually assigned in AIM & HANDS

Syndrome



Code #	Code Name	Description/Cut-off	In Other Words
411.1	Using a substitute(s) for breastmilk or iron-fortified formula	 Low iron formula Cow's, sheep's, or goat's milk, canned evaporated or sweetened condensed milk Substitute milk (rice, soy, almond, non dairy creamer) 	Manually assigned in AIM & HANDS
411.2	Improperly using nursing bottles or cups	 Fruit juice/ sugar-containing fluids/cereal Falling asleep Used as a pacifier Propping bottle 	Manually assigned in AIM & HANDS
411.3	Feeding complementary foods that are inappropriate in type or timing	 Food before 4 months Sugar, honey or syrup to any beverage, food or pacifier 	Manually assigned in AIM & HANDS
411.4	Feeding that disregards the developmental age	 Not recognizing cues for hunger/satiety Choking foods Not allowing self-feeding Not advancing texture when needed 	Manually assigned in AIM & HANDS
411.5	Feeding potentially contaminated foods	 Unpasteurized juice or dairy Feeding honey Raw/undercooked meat Deli meat, hot dogs not heated to steaming hot 	Manually assigned in AIM & HANDS
411.6	Inappropriately diluted formula	Not following recommended instructions	System generated in HANDS
411.7	Limiting the frequency of nursing	 Scheduled feedings <8 feedings in 24hrs for infant less than 2 mo age <6 feedings in 24hrs for infant 2-6 months age 	System generated in HANDS
411.8	Feeding a diet very low in calories or essential nutrients	VeganMacrobiotic	Manually assigned in AIM & HANDS
411.9	Inappropriate sanitation, preparation, storage and handling of breastmilk or formula	 Re-feeding or refreezing Thawing using a microwave Holding milk at room temp or in refrigerator past recommendations No access to safe water, refrigeration, or heating source for sterilization 	Manually assigned in AIM & HANDS
411.10	Potentially harmful supplements	 Excessive Single/multi-vitamin Mineral supplements (iron) Herbal or Botanical supplements or teas 	Manually assigned in AIM & HANDS
411.11	Not providing recommended supplements	 Not providing fluoride daily to infants 6 months and over Not providing a vitamin D supplement 	Manually assigned in AIM & HANDS
428	Not meeting dietary guidelines	 No other risk identified ≥4 months ≤23 months 	System generated prompt in HANDS "No codes have been found for this client. Would you like to assign the 401 or 428 code?"



"D" (dietary) Codes

603	Breastfeeding concerns for baby	 Difficultly latching Weak suck Jaundice or inadequate stooling 	Manually assigned in AIM & HANDS
701	Infant Up to 6 Months Old of WIC Mother or of a Woman Who Would Have Been Eligible During Pregnancy	An infant < six months of age whose mother was a WIC Program participant during pregnancy or was at nutritional risk during pregnancy	System generated in HANDS
702	Breastfeeding Infant of Woman at Nutritional Risk	A breastfed infant is dependent on the mother's milk as the primary source of nutrition.	System generated in HANDS
801	Homelessness	 Without a regular nighttime residence; or primary nighttime residence is a shelter Temporarily lives with another person (<365 days) 	System generated in HANDS
802	Migrancy	At least one person in the family works in agriculture on a seasonal basis	System generated in HANDS
901	Abuse	Physical/emotional/sexualAbuseNeglect	Manually assigned in AIM & HANDS
902	Child of a caregiver with limited ability to prepare foods or determine when to provide food	Child's caregiver:	Manually assigned in AIM & HANDS
903	Foster Care	In foster care ≤ 6 months	System generated in HANDS
904	Smoke Exposure	Smoking or exposure to smoke	Manually assigned in AIM & HANDS